

OMNIUM. THE NEW TECHNOLOGY

ALUMINUM

It only looks fat. Actually the aluminum frame is dramatically, measurably lighter and stronger than conventional steel frames. Aluminum is definitely the hot new look on the triathlon circuit. And for good reason: oversize tubes give these racers extra stiffness to convert more



TRIATHALON DESIGN



of the cyclists' energy into forward thrust. With lightness that reduces response time to a reflex. Miyata's exclusive new tubing alloys aluminum with special metals to make tubes that can be TIG welded without reducing their strength. After welding, conventional tubes need to be heat-treated to replace their strength—a process that can warp tubes and create a misaligned frame. That's never a possibility with Omnimium. Omnimium, already quick and responsive, is combined with the longer power stroke of Shimano's biopace crank set to put you even further up the hill than your competition, and that's

**THE RIGHT FRAME
OF REFERENCE.**

NEW MODELS LATE 1986

Black anodized rims and chain ring give a truly distinctive appearance to the 110. Spooned seat stays, Chromoly triple-butted tubing and a Mangalight racing fork combine to make this one of Miyata's most popular models. **Colors:** Ultramarine with Silver head tube, Starlite Black with Silver head tube. **Frame Sizes:** 19½", 21", 23", 25", 27". **Speeds:** 12



110



Accurate frame alignment is the key to the component group performing properly. We take alignment on our sport series just as seriously as we do on our Team Miyata. Why? One of these bicycles may be your first introduction to Miyata. And we believe a good first impression is often a lasting one. That's **THE RIGHT FRAME OF REFERENCE.**




Chromoly triple-butted tubing puts the frame strength where it's needed while reducing thickness in the non-critical areas. The result is a stronger, lighter weight frame. Toe clips and straps, quick-release hubs and quality components make this a real value. **Colors:** Dark Platinum, Diamond Blue. **M:** Georgia Peach, Diamond Blue. **Frame Sizes:** 19½", 21", 23", 25"; 19½", 22" (M). **Speeds:** 12



100

100M



90

90M

Triple-butted tubing, alloy rims, front quick-release hub and brazed-on bottle base-ments. These Miyata models also feature (Shimano) gear cluster, crank set and brakes. An outstanding value for the price-conscious buyer. **Colors:** Quicksilver, Ultramarine. **M:** Champagne Pink, Ultramarine. **Frame Sizes:** 19½", 21", 23", 25"; 19½" (M). **Speeds:** 12



SPORT SERIES

SPORT SERIES



SPORT 10

10M



Five men's and two ladies' frame sizes. The Sport 10 features padded foam grips, stem shifter and Shimano dual brake levers. This 12-speed has many components found on more expensive bicycles. **Colors:** Starlite Black, Diamond Blue. **M:** Regent Red, Diamond Blue. **Frame Sizes:** 17³/₄", 19¹/₂", 21", 23", 25"; 17³/₄", 19¹/₂" (M). **Speeds:** 12

SPORT JUNIOR



The Sport Junior, similar to the Sport 10, is equipped with 24" diameter wheels instead of 27" for the beginning rider. **Colors:** Starlight Black, Diamond Blue. **M:** Starlight Black, Diamond Blue. **Speeds:** 10

JR/M



COMMUTER SERIES

For the commuter who prefers a 3-speed bicycle. Hi-tension steel frame, Shimano gears.

Miyata quality. The Park Avenue is truly a star among the 3-speed galaxy. Men's available in three frame sizes.

Like the men's model, the ladies' style comes equipped with cotterless cranks, chain cover and a kick stand. **Color:** Nightwatch Blue. **Size:** 19½", 21", 23"; 19½" (M). **Speeds:** 3

PARK AVENUE



A quality 5-speed for commuting or cruising. Features include alloy rims, cotterless cranks, chain cover and a kick stand.

Keep physically fit bicycling to the station or office on a Miyata. Ladies' model has the same SunTour and Dia-Compe components as the men's model. **Color:** Pewter. **Size:** 19½", 21", 23"; 19½" (M). **Speeds:** 5

FIFTH AVENUE



SPECIALITY

Even the name implies "fun." And what little girl won't have fun on this bicycle. The 20" is equipped with a front basket and handlebar bell. The 16" has training wheels, rear carrier and buzzer type horn. Both have a full chain guard for safety.

16" equipped with a coated wire basket and travel case, rear carrier, buzzer-type horn and training wheels.

20" equipped with front coated wire basket, travel case and handlebar bell.

Copyright 1976 SANRIO CO., LTD.

KIKI & LALA



F-16 F-20 F-24 FX-24

UNICYCLES

Ready for a new cycling experience? Take a test ride on a Miyata unicycle. The Flamingo model is available in three frame sizes. Color is blue.

The Flamingo DX features an Alloy cotterless cranks, Ariake nylon saddle and tough BMX Alloy rim. The Flamingo DX is available in two frame size. Color is chrome plated.


FRAME SETS

TEAM PISTA



RIDGE RUNNER





TEAM MIYATA

FRAME SIZE	A	B	C	D	E	F
50cm	72°	73.75°	535	413	590	996
52cm	72°	74°	535	413	588	993
54cm	73°	74°	550	413	589	992
56cm	73°	74°	550	413	590	993
58cm	73°	74°	565	413	605	1008
60cm	73°	74°	580	413	620	1023
63cm	73°	74°	580	413	620	1023



FRAME MATERIALS: Cr-Mo triple butted Splayed tubing. Cr-Mo seat and chain stays. Miyata investment cast lugs. Shimano EF ends. **FRONT FORK:** Cr-Mo tubing, lost wax crown with reinforcement plates. Shimano UF ends. **HEADSET:** Italian size. **OVER LOCK NUT DIMENSION:** (F) 100 mm (R) 126 mm **BOTTOM BRACKET:** English thread, width 68 mm **SEAT POST DIAMETER:** 26.8 mm **PARTS:** AH Seat pin. Rear end adjusting screws. AH bolts on bottle basements. **COLOR:** Team Blue with Black head tube. **BRAZED-ONS:** Campagnolo style shifter basements on down tube. Bottle basements on down tube and seat tube. F.D fixing bracket on seat tube. Brake basement on rear bridge. Chain hook on seat stay.

PRO

FRAME SIZE	A	B	C	D	E	F
50cm	72°	74°	535	410	590	994
54cm	73°	74°	550	410	590	990
57cm	73°	74°	565	410	605	1005
60cm	73°	74°	580	410	620	1021
63cm	73°	74°	580	410	621	1021



FRAME MATERIALS: Cr-Mo triple butted Splayed tubing. Cr-Mo seat and chain stays. Miyata investment cast lugs. Suntour PRO ends. **FRONT FORK:** Cr-Mo tubing, lost wax crown with reinforcement plates. TFR forged ends. **HEADSET:** Italian size. **OVER LOCK NUT DIMENSION:** (F) 100 mm (R) 126 mm **BOTTOM BRACKET:** English thread, width 68 mm **SEAT POST DIAMETER:** 26.8 mm **PARTS:** AH Seat pin. Rear end adjusting screws. AH bolts on bottle basements. **COLOR:** Pepper Red with Yellow head tube. **BRAZED-ONS:** Campagnolo style shifter basements on down tube. F.D fixing bracket on seat tube. Bottle basements on down tube and seat tube. Cable guides on bottom bracket shell. Brake basement on rear bridge. Chain hook on seat stay. Pump peg.

912

FRAME SIZE	A	B	C	D	E	F
50cm	71°	72.5°	535	420	589	1001
54cm	72°	73°	550	420	593	1003
57cm	73°	73°	565	420	600	1010
60cm	73°	73°	580	420	614	1024
63cm	73°	73°	580	420	615	1025



FRAME MATERIALS: Cr-Mo triple butted splayed tubing. Cr-Mo seat and chain stays. Miyata investment cast lugs. Shimano SF ends. **FRONT FORK:** Cr-Mo tubing, cast crown, TF forged ends. **HEADSET:** Italian size. **OVER LOCK NUT DIMENSION:** (F) 100 mm (R) 126 mm **BOTTOM BRACKET:** English thread, width 68 mm **SEAT POST DIAMETER:** 26.8 mm **PARTS:** AH seat pin. Rear end adjusting screws. AH bolts on bottle basement. **COLOR:** Sterling Black with Pink head tube. **BRAZED-ONS:** Campagnolo style shifter basements on down tube. Bottle basements on down tube and seat tube. Cable guides on bottom bracket shell. Brake basement on rear bridge. Chain hook on seat stay. Pump peg.

FRAME SIZE	A	B	C	D	E	F
50cm	73°30'	75°	535	397	587	977
54cm	74°	75°	550	397	587	978
57cm	74°	75°	565	397	592	982
60cm	74°	75°	580	397	607	997
63cm	74°	75°	580	397	607	997

FRAME MATERIAL: MIYATA Chromoly double butted tubing. Chromoly oval chain stays. Chromoly wide tapered seat stays. MIYATA Professional Hi-Tension steel lugs and SHIMANO FE-UFP forged ends. **FRONT FORK:** MIYATA Chromoly 24mm round blades with Chromoly investment cast crown, reinforcement plates and SHIMANO UFP forged ends. **HEAD SET:** Italian size. **HUB SIZE:** 100mm (Front) x 120mm (Rear) **BOTTOM BRACKET:** English thread, width 68mm. **SEAT PILLAR:** 26.8mm diameter. **COLOR:** Bright Blue (B-114) **EXTRAS:** AH seat pin.

FRAME SIZE	A	B	C	D	E	F
45cm	72°	70°	540	450	620	1069
49cm	71.5°	71°	560	450	625	1072
53cm	71°	72°	580	450	639	1086
57cm	71.5°	72°	600	450	660	1107

FRAME MATERIALS: Cr-Mo triple butted tubing. Cr-Mo seat and chain stays. Shimano SF-22 ends. Fully lugged frame. **FRONT FORK:** Tange uni-crown, full chromoly, TL forged ends. **HEADSET:** Italian size. **OVER LOCK NUT DIMENSION:** (F) 100 mm (R) 130 mm **BOTTOM BRACKET:** English thread, width 70 mm **SEAT POST DIAMETER:** 26.8 mm **PARTS:** Rear end adjusting screws. AH bolts on bottle basements and rack mounts. **COLOR:** Sterling Black. **BRAZED-ONS:** Cantilever brake bosses. Bottle basements on down tube and seat tube. Cable guide on bottom bracket shell. Carrier bracket on seat stay. Fender bosses. Carrier basements for low mount front rack. Pump peg.

ACCESSORIES

T-SHIRTS



JERSEYS



SHORTS



GOLF SHIRT



LS T-SHIRTS



JACKET



APRON




CAPS



WHEEL COVER



RACK



TIRES

ALL TERRAIN

26 x 2.125 26 x 1.625
 26 x 1.75 *GSW
 *SSW 55 psi
 50 psi

RADIAL

27 x 1¼
 700 x 32
 *SSW
 Dual Hard
 Tread
 80 psi
 Nylon Belted

GRAND SPORT

27 x 1½
 700 x 28
 700 x 25
 *SSW
 Dual Hard
 Tread
 100 psi
 Nylon Belted

BALD

700 x 23
 700 x 25
 *SSW
 Dual Hard
 Tread
 110 psi
 Kevlar Belted

GRAND TOURING

27 x 1½
 *SSW
 Dual Hard
 Tread
 100 psi
 Nylon Belted

SPORT

27 x 1¼
 27 x 1½
 *GSW
 90 psi

*GSW – Gum Side Wall
 *SSW – Skin Side Wall



BOTTLES



MUGS

SERIES	PROFESSIONAL RACING SERIES			COMPETITION/FITNESS SERIES				GRAND TOURING	
	TEAM MIYATA	OMNIUM ALUMINUM	PRO MIYATA	912	710	310	PISTA	1000	610
FRAME SIZES	50, 52, 54, 56, 58, 60, 63 cm	50, 54, 57, 61 cm	50, 54, 57, 60, 63 cm	50, 54, 57, 60, 63 cm	46, 50, 54, 57, 60, 63 cm	50, 54, 57, 60, 63 cm	50, 54, 57, 60, 63 cm	50, 54, 57, 60, 63 cm	46, 50, 54, 58, 63 cm
FRAME MATERIALS	Cr-Mo triple butted splined tubing, 16mm tapered seat stays. Cr-Mo oval chain stays. Inv. Cast. B.B.	Aluminum	Cr-Mo triple butted splined tubing, 16mm tapered seat stays. Cr-Mo oval chain stays.	Cr-Mo triple butted splined tubing, 16mm tapered seat stays and Cr-Mo oval chain stays.	Cr-Mo triple butted tubing, 16mm tapered seat stays and Cr-Mo oval chain stays.	Cr-Mo triple butted tubing, 16 mm tapered seat stays. Inv. Cast Seat Lug	Cr-Mo triple butted tubing.	Cr-Mo triple butted splined tubing, Cast lugs, 16mm tapered seat stays. Cr-Mo oval chain stays.	Cr-Mo triple butted tubing, 16mm tapered seat stays and oval chain stays.
FRONT FORK	Cr-Mo splined 24mm oval cast crown.	Aluminum	Cr-Mo 24mm oval chrome plated.	Cr-Mo 24mm oval tubing. Semi-sloping crown.	Cr-Mo tubing with semi-sloping crown.	Mangalight with semi-sloping crown.	Mangalight with semi-sloping crown.	Cr-Mo splined 24mm oval tubing. Semi-sloping crown.	Mangalight tubing, Italian style crown.
HEADSET	SHIMANO New Dura-Ace Sealed	SHIMANO New 600 EX Sealed	SUNTOUR Sealed	SHIMANO New 600EX Sealed	TANGE MES Sealed	TANGE MES Sealed	TANGE Nova	SHIMANO New 600EX Sealed	TANGE MES Sealed
DERAIL-LEURS	SHIMANO New Dura-Ace w/new Dura-Ace 515 shifter	SHIMANO New 600 EX w/GMG side mount shifter	SUNTOUR Sprint	SHIMANO New 600 EX w/GMG side mount shifter	SUNTOUR New Cyclone w/top-mount shifter	SHIMANO 105 w/GMG top mount shifter	—	SHIMANO (F) Deore XT-GS (R) Deore XT-SP SLZ-408 shifter	SHIMANO (F) Z-206-GS (R) L-523-SGS w/L-422 shifter
CLUSTER	SHIMANO New Dura-Ace 6 speed 13-18 teeth	SHIMANO New 600 EX 6 speed 13-24 teeth	SUNTOUR Winner Pro 7 speed 13-21 teeth	SHIMANO New 600 EX 6 speed 13-24 teeth sealed	SUNTOUR 6 speed 13-26 teeth Gold	SHIMANO UG 6 speed 14-28 teeth Black	SUNTOUR 15-tooth sprocket	SHIMANO New 600 EX 6 speed 14-28 teeth sealed	SHIMANO UG 6 speed 14-28 teeth Gold
CHAIN	SHIMANO Dura-Ace UG Nickel Finish	SHIMANO 600 UG Silver/Black	SUNTOUR Pro Silver/Blue	SHIMANO 600 UG Silver/Black	SUNTOUR Z Gold/Black	SHIMANO UG Black	DID TRACK	SHIMANO 600 UG Silver/Black	SHIMANO 600 UG Gold/Black
CRANK SET	SHIMANO New Dura-Ace 53x42 teeth Sealed	SHIMANO New 600 EX 52x42 Biopace ring	SUNTOUR Sprint 53x42 teeth Sealed	SHIMANO New 600 EX 52x42 teeth Bio. ring sealed	SUGINO GS-LP 52x42 teeth Sealed	MIYATA SIGNATURE SUC-100 52x42 teeth	SUGINO Astron track 50 teeth	SHIMANO New 600EX 50x44x28 teeth Bio. ring sealed	SHIMANO 50x44x28 teeth Biopace ring
PEDALS	SHIMANO New Dura-Ace Sealed	SHIMANO New 600 EX Sealed	SUNTOUR Sprint Sealed	SHIMANO New 600 EX Sealed	MKS Esquartz 102	SR SP-250	MKS Sylvan Track	SR SP-155 Sealed	SR SP-155 Sealed
TIRES	MIYATA Tubular 230g.	National TriSport 700x20c SSW Dual Hard Nylon	MIYATA KEVLAR Belted 700x23c SSW 100 lbs. 300g. Bald Type	MIYATA RECORD Nylon Belted 700x25c SSW 100 lbs. 270g. Bald Type	MIYATA GRAND SPORT Nylon Belted 700x25c SSW 100 lbs. 270g. Dual Hard Tread	MIYATA GRAND SPORT 700x28c SSW 100 lbs. 320g. Dual Hard Tread	MIYATA Leger Tubular 230g.	MIYATA Radial Grand Touring Nylon Belted 700x32c SSW 70-80 lbs. 360g. Dual Hard Tread	MIYATA Radial Grand Touring Nylon Belted 700x32c SSW 70-80 lbs. 360g. Dual Hard Tread
RIMS	MAVIC GP-4	ARAYA 700c Anodized	ARAYA Model 20-A 700C Grey Hard Anodized	UKAI Model 20-A 700C Hard Anodized	UKAI Model 20-A 700C GMG Hard Anodized	UKAI Model 20-A 700C GMG/Silver	ARAYA 16-B	UKAI LA-14 36H/40H 700c Black/Silver	UKAI LA-14 36H/40H 700c Anodized
BRAKE SET*	SHIMANO New Dura-Ace	SHIMANO New 600 EX	SUNTOUR Sprint Aero Levers	SHIMANO New 600 EX	DIA-COMPE GX-400 Aero Levers	SHIMANO BR-Z 570 Q.R. Tire Guides with hooded levers	—	SHIMANO DEORE XT Cantilever w/hooded levers	SHIMANO AT-50 Cantilever w/hooded levers
HUBS	SHIMANO New Dura-Ace Q.R.	SHIMANO New 600 EX Sealed Q.R.	SUNTOUR Sprint Sealed Q.R.	SHIMANO New 600 EX Sealed Q.R.	SANSIN Gyro-Master Sealed Q.R.	SHIMANO HB-AQ11 Sealed Q.R.	SUNTOUR Sprint Track	SANSIN Gyro-master Sealed Q.R. 36x40	SANSIN Gyro-master Sealed Q.R. 36x40
SPOKES	14x15G double butted stainless	14G	14x15G double butted stainless	14G stainless	14G stainless	14G stainless	15 G	14G stainless	14G stainless
SADDLE	SELLE ITALIA Super Turbo	SELLE ITALIA TURBO TRIATHLON	SELLE ITALIA Turbo	SELLE ITALIA TURBO Triathlon	SELLE ROYAL Dolphin Crosta	SELLE ROYAL Dolphin Vinyl	ARIAKE 77C-DX Vinyl	VETTA MAXI Crosta	SELLE ROYAL Anatomic Crosta
SEAT PILLAR	SHIMANO Dura-Ace EX	SR CRE	SR CR-E	SUGINO SPK	SR CT-P5E	SR CT-P5E	SR CT-P5E	SR CR-E	SR CT-P5E
HANDLE BAR	NITTO 55F Alloy	NITTO Triathlon	NITTO 55F Alloy	MIYATA SIGNATURE Alloy	MIYATA SIGNATURE Alloy	MIYATA SIGNATURE Alloy	NITTO Olympiad B115 Alloy	SR RANDONNEUR Alloy	SR RANDONNEUR Alloy
STEM	NITTO Technomic-Aero Anodized Black	NITTO NTC	NITTO Technomic-Aero. Anodized	SR AEROX Anodized	SR CUSTOM Alloy	SR CUSTOM Alloy	NITTO Technomic-Aero	SR AEROX	SR CUSTOM Alloy
HANDLE BAR TAPE	Shiny Vinyl	Cushioned Vinyl	Shiny Vinyl	Shiny Vinyl	Shiny Vinyl	Shiny Vinyl	CATEYE Cotton	Cushion Rubber Grips	Cushion Rubber Grips
EXTRAS	Water Bottle w/cage. Toe clips & straps. Tools. Protective Clear Coat	Water Bottle & cage. Toe clips & straps. Frame pump Protective Clear Coat	Water Bottle w/cage. Toe clips & straps. Tools. Protective Clear Coat	Water Bottle w/cage. Toe clips & straps. Tools. Protective Clear Coat	Toe clips & straps. Protective Clear Coat	Toe clips & straps. Protective Clear Coat	Tools.	Water Bottle w/ cage. Toe clips & straps. Tools. Black Anodized alloy carrier. Internal wiring. Protective Clear Coat	Toe clips & straps. Alloy carrier. Protective Clear Coat
APPROX. WEIGHT	21.5 lbs.	21.5 lbs.	23 lbs.	23.2 lbs.	23.5 lbs.	24 lbs.	20.5 lbs.	26.6 lbs.	26.6 lbs.
COLORS	Bright Blue #B-114 (Black Head)	White #W-83	Pepper Red #R-188 (Yellow Head)	Sterling Black #K-18 (Pink Head)	Pepper Red #R-188 (Silver Head) Steel Blue #B-168 (Yellow Head)	Dark Platinum #S-11 (Red Head) Cream Teal #B-172 (Silver Head)	Pearl White #W-75B (Black Head)	Royal Platinum #S-14 (Gold Head)	Claret Red #R-190 (Silver Head)

*All Miyata brake cables have an inner liner for smooth operation of the brake.
Bicycle weights based on 21" or 54 cm frame size.

SERIES	ALL TERRAIN SERIES					ALL ROUND SPORTS SERIES			
	210	RIDGE RUNNER	TERRA RUNNER	TRAIL RUNNER	CITY RUNNER	SHORE RUNNER	110	100	90
19 1/2", 21", 23", 25", 19 1/2" (M)	17 1/2", 19 1/2", 21", 23"	17 1/2", 19 1/2", 21", 23"	17 1/2", 19 1/2", 21", 23", 25"	17 1/2", 19 1/2", 21", 23", 17 1/2" (L), 21" (L)	19 1/2", 21", 23", 17 1/2" (L)	19 1/2", 21", 23", 25", 27"	19 1/2", 21", 23", 25", 19 1/2" M, 22" M	19 1/2", 21", 23", 25", 19 1/2" M	17 3/4", 19 1/2", 21", 23", 25", 17 3/4" M, 19 1/2" M
Cr-Mo triple butted tubing.	Cr-Mo triple butted tubing. 16mm seat stays. Cr-Mo oval chain stays.	Cr-Mo triple butted tubing 16mm tapered seat stays	Cr-Mo tubing 16mm tapered seat stays	Mangalight tubing 16mm tapered seat stays	Mangalight tubing	Cr-Mo triple butted tubing with spoon stays	Cr-Mo triple butted tubing	Mangalight triple butted tubing	Mangalight tubing
Mangalight tubing, Italian style crown.	Cr-Mo tubing TANGE uni-crown	Cr-Mo tubing TANGE uni-crown	Cr-Mo tubing uni-crown	Hi-Ten tubing uni-crown Cr-Mo stem	Hi-Ten tubing	Mangalight tubing	Mangalight tubing	Hi-tension tubing	Hi-tension tubing
TANGE Sealed	SHIMANO New 600 EX Sealed	TANGE MES Sealed	TANGE MA60 Sealed	TANGE	TANGE	TANGE MA-60	TANGE	TANGE	TANGE
SHIMANO (F) Z-204 GS (R) L-522 SGS w/L-422 shifter	DEORE (F) XT-GS (R) XT-SP	SUNTOUR XC-Sport	SHIMANO (F) Z-204 GS (R) L-522 SGS	SHIMANO (F) Z-202 (R) Z-501 GS	SEVEN New Seven	SHIMANO (F) Z-204 (R) L-523 SS w/L-422 shifter	SUNTOUR (F) AR (R) AR-GT w/UBN 10 stem shifter	SHIMANO (F) Z-202 (R) Z-501 stem shifter	SUNTOUR (F) SEVEN (R) New SEVEN w/UB-10 stem shifter
SHIMANO UG 6 speed 14-28 teeth Black	SHIMANO New 600 EX 6 speed 14-32 teeth Sealed	SUNTOUR 6 speed 14-32 teeth	SHIMANO 6 speed 14-32 teeth	SHIMANO 6 speed 4-32 teeth	SUNTOUR 6 speed 14-28 teeth	SHIMANO UG 6 speed 14-28 teeth Black	SUNTOUR Perfect 6 speed 14-32 teeth	SHIMANO UG 6 speed 14-28 teeth Black	SUNTOUR Perfect 6 speed 14-28 teeth
SHIMANO UG Black	SHIMANO 600 UG Silver/Black	SHIMANO UG Black	SHIMANO UG Black	SHIMANO UG Black	SHIMANO UG Black	SHIMANO UG Black	SHIMANO UG Black	SHIMANO UG Black	SHIMANO UG Black
SUGINO VP 50x44x28 teeth	SHIMANO New 600EX 50x44x28 teeth Bio. ring sealed	MIYATA SIGNATURE SUC-T310 50x44x28 teeth	SHIMANO 50x44x28 teeth Biopace ring	SUGINO 50x44x28 teeth	SR CAC 50x40 teeth	SR SUC-310 52x42 teeth	SR SUC-310 52x42 teeth	SR CTC-5DXC 52x42 teeth	SR CTC-5SG 52x42 teeth
MKS NT-1	SUNTOUR XC-II Sealed Cr-Mo spindle	SR SP-452 Cr-Mo spindle	SR SP-518FB Cr-Mo spindle	MKS PB-20	MKS PB-20	MKS AR-5 Alloy	MKS 33	MKS RT-7 Chrome Plated	MKS RT-7 Chrome Plated
MIYATA Grand Touring Nylon Belted 27x1 1/8 SSW 100 lbs. 450g Dual Hard Tread.	MIYATA Nylon Belted 26x1.75 SSW 50 lbs.	MIYATA (F) 26x2.125 (R) 26x1.75 SSW	MIYATA 26x1.75 SSW	MIYATA 26x1.625 GSW	MIYATA 26x1.625 GSW	MIYATA Grand Sport 27x1 1/8 SSW 100 lbs. 450g Dual Hard Tread	SPORT 27x1 1/8 GSW Dual Hard Tread	MIYATA SPORT 27x1 1/4 GSW	MIYATA SPORT 27x1 1/4 GSW
UKAI LA-14 27x1 1/4 36H/40H Anodized	ARAYA RM-20 26x1.75 Anodized	ARAYA RM-25 26x1.75 Anodized	UKAI 7Z 26x1.75 Black/Silver	UKAI 7C 26x1.75	ARAYA 7XN 26x1.5	ARAYA SP-30 27x1 1/4 Anodized	ARAYA SP-30 27x1 1/4 Anodized	ARAYA SP-30 27x1 1/4 Anodized	ARAYA 15 27x1 1/4
DIA COMPE 960 Cantilever w/hooded levers	DIA COMPE (F) NGC 982 SUNTOUR (R) XC	DIA COMPE 980 MBT Cantilever	DIA COMPE 981 MTB Cantilever	DIA COMPE 960 Cantilever	DIA COMPE 1020	SHIMANO Z-570 w/Z-304B levers	DIA COMPE 500 N w/Z-164 dual levers	SHIMANO Z-570 w/Z-324 dual levers	SHIMANO Z-720 w/Z-324 dual levers
SANSIN RE-60 36x40 Sealed Q.R.	SHIMANO DEORE XT Sealed Q.R. (F)	SANSIN Sealed Q.R. (F)	SANSIN Sealed Q.R. (F)	SANSIN Q.R. (F)	SANSIN	SANSIN Sealed Alloy Q.R.	SANSIN Alloy Q.R.	SANSIN Alloy Q.R. (F)	SANSIN
14G	14G Stainless	14G Stainless	14G	14G	14G	14G	14G	14G	14G
SELLE ROYAL Anatomic Vinyl	VELTA MAXI Crosta	SELLE ROYAL Anatomic Crosta	SELLE ROYAL Anatomic Vinyl	SELLE ROYAL Anatomic Vinyl	SELLE ROYAL Anatomic Vinyl	SELLE ROYAL Anatomic Vinyl	SELLE ROYAL Anatomic Vinyl	SELLE ROYAL Anatomic Vinyl	SELLE ROYAL Anatomic Vinyl
SR SRE-100	SR MTE-300	SR MTE-300	SR CT P5E	SR CT P-6	MORI Stainless Clad	SR CT-P5E	SR SRE-100	MORI Stainless Clad	MORI Stainless Clad
SR RANDONNEUR Alloy	NITTO 804 AA Alloy	NITTO 804 AA Alloy	KUSUKI BMT-3-26 Alloy	SR MTB-301	SR MTB-301	MIYATA SIGNATURE Alloy	SR CTSD	KUSUKI KR-LB	SR 7D-701
SR CUSTOM Alloy	NITTO MT-5 Alloy	NITTO MT-1 Alloy	KUSUKI ROCKY 2 Alloy Black	SR CPS-80 Alloy	SR AH Alloy	SR CUSTOM Alloy	SR CUSTOM Alloy	KUSUKI S-Win Alloy	KUSUKI S-Win Alloy
Cushion Rubber Grips	TANGE HG-4 Rubber Grips	TANGE HG-4 Rubber Grips	Cushion Rubber Grips	Cushion Rubber Grips	Cushion Rubber Grips	Shiny Vinyl	Cushion Rubber Grips	Cushion Rubber Grips	Cushion Rubber Grips
Toe clips & straps. Alloy rear carrier. Protective Clear Coat	Protective Clear Coat	Protective Clear Coat	Protective Clear Coat			Toe clips & straps Protective Clear Coat	Toe clips & straps Protective Clear Coat	Protective Clear Coat	
26.8 lbs.	29 lbs.	29.5 lbs.	29.2 lbs.	30 lbs.	31 lbs.	24.8 lbs.	26.9 lbs.	27.3 lbs.	29.5 lbs.
Rocky Blue #B-169 (Also M) Aztec Brown #X-6 (Also M)	Sterling Black #K-18	Royal Blue #B-169	Royal Platinum #S-14	Steel Blue #B-168 (Also L) Cream Teal #B-172 (Also L)	Claret Red #R-190 (Also L)	Starlight Black #K-14 (Silver Head) Ultramarine #B-173 (Silver Head)	Diamond Blue #B-144 (Also M) Dark Platinum #S-11 Georgia Peach #P-10 (M only)	Light Pewter #S-10 Ultramarine #B-173 (Also M) Champagne #P-1 (M only)	Starlight Black #K-14 Diamond Blue #B-144 (Also M) Regent Red #R-168 (M only)

Specifications subject to change without notice.



SINCE 1890

From the moment when we made Japan ago, Miyata has been guided by the pioneering spirit. The spirit that has always sought out the best materials, the best production techniques, the best way to learn from the experience of riders. The spirit that kicked over the tyranny of the "hand crafted" myth with the development of a truly precise manufacturing technology. The spirit that put Miyata bicycles to the test not just in the laboratory, but on the toughest roads in the world—the Tour de France, the Paris Roubaix, the Gran Prix de Frankfurt. This is the spirit that has won the World Cup and the world's respect for Miyata craftsmanship. That inspires our continuing search for self-improvement. And that stands, in the form of the Miyata guarantee, behind every bicycle we make.

MIYATA BICYCLE LIMITED WARRANTY

- a) MIYATA bicycle Frames and Front forks are warranted to be free from defect in materials and workmanship under normal use of the bicycle for lifetime of the bicycle.
- b) All original parts, except tires, tubes & cables are warranted to be free from defects for one year from the date of purchase.
- c) During the warranty period, all parts as determined by MIYATA, found to be defective in workmanship or material will be repaired or replaced free of charge except for shipping charge and dealer labor charge (if applicable). This applies to parts, Frame and Front fork.

HOW TO CLAIM WARRANTY:

- a) All claims under this warranty must be made through an authorized MIYATA dealer during the relevant warranty period. To obtain warranty service, the owner must return the defective bicycle to an authorized MIYATA dealer for inspection with the sales receipt or other evidence showing the date of purchase.
- b) If the original dealer is no longer available or is inconveniently located, the name of an authorized dealer nearest to you can be obtained from MIYATA whose address is stated below.

WARRANTY EXCLUSIONS:

- a) This warranty covers only to the original retail purchaser of the bicycle and is not transferable.
- b) This warranty does not cover failure due to accident, abuse, misuse, neglect, normal wear and tear, improper assembly, improper fit, maintenance by any other person than an authorized MIYATA dealer, or use of unauthorized replacement parts.
- c) This warranty does not cover any personal injuries, damage or failure of the bicycle if used in any competitive event, including bicycle racing, bicycle motocross, stunt, or similar activities or when in training for same. Motors or other accessories inconsistent with the use intended by MIYATA will negate this warranty.
- d) This warranty is expressly in lieu of any other warranty and any implied warranty including any warranty of merchantability or fitness for any purpose is limited in duration to the duration of this express warranty. MIYATA shall not be responsible for any consequential or incidental damages.
- e) Some states do not allow limitation on how long implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above limitation may not apply to you.
- f) This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

MIYATA BICYCLE OF AMERICA INC.
2526 W. Pratt Blvd, ELK Grove, IL 60007

MIYATA

Manufactured by: Miyata Industry Co., Ltd.
Chigasaki, Japan

AUTHORIZED DEALER

Printed in Japan

